



Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)

MSRP Ver 21rev 5 – Effective 9/30/2012

## SEA Marine Communications Equipment Price List

MSRP

### VHF DSC Marine Radiotelephones

<b>157</b>	VHF FM DSC Radio with Class D SC101 operations.  * Not available in USA and requires special order: The SEA 157 with approved SC101 type DSC technology offers high performance and DSC operations for Marine VHF & DSC applications. Power input 13.6 VDC.	<b>\$ 899.00</b>
<b>157 Pro Mod</b>	SEA157 (SC101 DSC) Software and Mic upgrade  Software update to provide management over DSC related Working channel switch and Alarms . Also includes replacement Mic with 10 foot cable and Service Department checkout. Exclusively offered for Professional Operators. Subject to condition of the radio as determined by SEA service department.	<b>\$ 299.00</b>
<b>157SD</b>	DSC VHF/FM Radiotelephone with SEA Pro I software features and Class D GMDSS operations. Power input is 13.6VDC negative ground.  The new SEA 157SD features Microprocessor and DSP technology, Main and DSC guard receivers, expanded I/O ports, increased channel capacity, graphics display and optional data features, plus improved voice performance.	<b>\$ 1,299.00</b>
<b>157SA</b>	DSC VHF/FM with SEA Pro I software features and ITU/IMO compliant Class A GMDSS operations with separate antenna ports for DSC Guard and Main receivers. Power input standard as 13.6VDC with 24VDC power converter option available.	<b>\$ 1,549.00</b>
<b>157SA/R</b>	Remote capable 157SA DSC VHF/FM with Class A GMDSS operations with SEABUSS II inter-connections. The 157S R version is capable of operating as the Main transceiver or being designated to operate as a Remote Control Unit. Power input standard at 13.6VDC with 24VDC power converter option available	<b>\$ 1,749.00</b>
<b>157SA/RH</b>	Remote Control Unit for 157SA/R. Functions as a Remote Control Unit without additional transmitter capability.	<b>\$ 1,099.00</b>
<b>157S Pro I Option</b>	Special software feature package designated for Professional Vessel Operators. *Supplied as standard with 157S class D and Class A VHF.	<b>* Special offer</b>
<b>157S Pro II Option</b>	Special software feature package designated for Professional Vessel Operators providing several high level features and specialized functions along with added channel capacities.	<b>\$ 399.00</b>
157/157S Furnished with:	Premium palm microphone w/ 5 feet cable, trunion mounting bracket and operator's manual *Add \$50 net at time of order for Premium Mic upgrade with 10 foot cable	<b>\$ 50.00</b>
<b>157/157S Options and Accessories:</b>		
MIC-0157-M9	Premium Replacement Palm Mic with 5 foot cable	\$ 79.00
MIC-0157-M9 -10	Premium Replacement Palm Mic with 10 foot cable	\$ 119.00
KIT-0157-30	Flush mount Kit	\$ 55.00
SPE-0500-25	Remote speaker with bracket	\$ 55.00
OPR-157	Operator's manual	\$ 19.00
OPR-157S	Operator's manual for 157S Class D, Class A and A/R Remote version	\$ 75.00
MIC-00GN-001	Heavy duty foot switch for Goose Neck Mic	\$ 140.00
MIC-00GN-002	Goose neck microphone	\$ 297.00



Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)

MSRP Ver 21rev 5 – Effective 9/30/2012

## SEA Marine Communications Equipment Price List

MSRP

### VHF Marine Radiotelephones (continued)

<b>7157</b>	The SEA 7157 VHF FM / DSC includes an integral DSC Controller and Channel 70 watch receiver for all commercial and recreational applications. ITU/ IMO approved Class A GMDSS operations. Designed for operations from 13.6 or 24 VDC (internally strappable) isolated, positive, or negative ground.	<b>\$ 1,999.00</b>
7157 Furnished with:	Premium palm microphone w/ 5 feet cable, trunion mounting bracket and operator's manual	
	*Add \$50 net at time of order for Premium Mic upgrade with 10 foot cable	<b>\$ 50.00</b>
<b>7157 Options and Accessories:</b>		
MIC-0235-M9	Premium Replacement Palm Mic with 5 foot cable	\$ 79.00
MIC-0235-M9 -10	Premium Replacement Palm Mic with 10 foot cable	\$ 119.00
SPE-0500-25	Remote Speaker	\$ 55.00
KIT-0235-30	Flush mount brackets and O ring	\$ 199.00
FAB-0235-30	SEA 235 Flush Mount Bracket	\$ 189.00
OPR-7157	Operator's manual	\$ 49.00
MAN-7157	Service manual	\$ 65.00
MIC-00GN-001	Heavy duty foot switch for Goose Neck Mic	\$ 140.00
MIC-00GN-002	Goose neck microphone	\$ 297.00

### SEA HAIL Loudhailer

<b>857</b>	60-Watt Loudhailer with Intercom The SEA 857 loudhailer offers 60-watts hailer output (into 8 ohms horns) and 5-watt intercom capabilities for commercial and recreational shipboard communications. For operation on 13.6 VDC negative ground.	<b>\$ 849.00</b>
857 Furnished with:	Premium palm microphone w/ 5 feet cable, trunion mounting bracket and operator's manual	
	*Add \$50 Net at time of order for Premium Mic upgrade with 10 foot cable	<b>\$ 50.00</b>
<b>857 Options and Accessories:</b>		
MIC-0157-M9P	Premium Replacement Palm Mic with 5 foot cable	\$ 79.00
MIC-0157-M9 -10	Premium Replacement Palm Mic with 10 foot cable	\$ 119.00
SPE-8000-01	60-watt projection horn, 6"x9", with stainless hardware	\$ 349.00
INT-8000	Remote intercom speaker with call button and bracket	\$ 65.00
SPE-0500-25	Remote speaker with bracket	\$ 55.00
KIT-0157-30	Flush mount Trim Ring	\$ 45.00
OPR-857	Operator's manual	\$ 15.00



Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)

MSRP Ver 21rev 5 – Effective 9/30/2012

## SEA Marine Communications Equipment Price List

MSRP

### MF/HF SSB Marine Radiotelephones

<b>235</b>	Commercial 150/100/75 Watt MF/HF/SSB Radiotelephone certified for operations on Marine, Aviation and Land Mobile frequencies and supports Email and Telex in wide variety of applications, including HAM and Amateur compatibility. For operation on 13.6VDC power input.	\$	<b>2,399.00</b>
<b>235CF</b>	SEA 235 with Cooling Fan Option	\$	<b>2,449.00</b>
<b>2350</b>	SEA 235/2351/2351D Remote Controller Unit.	\$	<b>799.00</b>
<b>2351</b>	SEA 235R Remote Transceiver Unit. Power input 13.6 VDC	\$	<b>2,249.00</b>
<b>2351D</b>	SEA 235D Remote Transceiver Unit designed for 100W continues duty Data communications. Power input 13.6 VDC. Requires use of SEA 1631 Antenna tuner.	\$	<b>2,499.00</b>
235/2351 Furnished with:	Premium palm microphone w/ 5 feet cable, trunnion mounting bracket and operator's manual *Add \$50 net at time of order for Premium Mic upgrade with 10 foot cable	\$	<b>50.00</b>
<b>235/2351 Options and Accessories:</b>			
MIC-0235-M9	Premium Replacement Palm Mic with 5 foot cable	\$	79.00
MIC-0235-M9 -10	Premium Replacement Palm Mic with 10 foot cable	\$	119.00
KIT-0235-30	235 Flush mount trim ring/bracket	\$	199.00
KIT-2350-06	2350 Flush mount brackets and trim ring	\$	99.00
FAB-0235-30	SEA 235 Flush Mount Bracket	\$	189.00
SPE-0500-25	Remote speaker with bracket	\$	55.00
CF235	235/2351 Cooling fan kit	\$	75.00
OPR-235	235/235R/235D Operator's manual	\$	49.00
MAN-235	235/235R/235D Service manual	\$	65.00
CAB-2250-XXX	2350/2450/3300 Controller interconnect cable - bulk	\$	4.50 per ft
MIC-00GN-001	Heavy duty foot switch for Goose Neck Mic	\$	140.00
MIC-00GN-002	Goose neck microphone	\$	297.00
<b>ND2045</b>	External FED STD 145 ALE Controller with Mil 144 A/B modem (NSG). If cable assembly required, please request quote and specify length.	\$	<b>2,349.00</b>



Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)

MSRP Ver 21rev 5 – Effective 9/30/2012

## SEA Marine Communications Equipment Price List

MSRP

### SSB Marine Radiotelephones continued

<b>245</b>	150/100/75 Watt MF/HF/SSB Radiotelephone for fully compliant GMDSS. Email and Telex compatible. Aviation and Land Mobile modes, HAM, Amateur compatible operations. 13.6VDC power input.	<b>\$ 3,299.00</b>
<b>245/24</b>	SEA 245 with 24VDC power input.	<b>\$ 3,549.00</b>
<b>2450</b>	SEA 245 Remote Control Unit. Up to four 2450 Remote controller may be installed. Requires controller interconnect cable (CAB-2250-XXX) sold separately.	<b>\$ 1,149.00</b>
<b>2451</b>	150/100/75W Remote MF/HF SSB Remote Transceiver Unit. Power input 13.6VDC.	<b>\$ 2,499.00</b>
<b>2451/24</b>	SEA 2451 with 24VDC power input.	<b>\$ 2,799.00</b>
<b>2451D</b>	100 Watt "continuous duty" MF/HF SSB Remote Transceiver Unit, power input 12VDC. Designed for continuous Data operations.	<b>\$ 3,149.00</b>
<b>2451D/24</b>	SEA 2451D with 24VDC power input.	<b>\$ 3,549.00</b>
<b>2451HD</b>	New: 150/100/75 Watt "extended duty" MF/HF SSB Remote Transceiver Unit for 150W voice and extended duty Data communications. Power input 13.6VDC.	<b>\$ 3,149.00</b>
<b>2451HD/24</b>	SEA 2451HD with 24VDC power input.	<b>\$ 3,549.00</b>
<b>2451DX</b>	* New: 245 SSB Base Station Exciter, 20 to 100W "continuous duty" MF/HF SSB Remote Transceiver Unit with (1) 2450 Remote Control Unit. Power input 13.6VDC,	<b>\$ 4,199.00</b>
245/2451 Furnished with:	Premium palm microphone w/ 5 feet cable, trunnion mounting bracket and operator's manual *Add \$50 net at time of order for Premium Mic upgrade with 10 foot cable	<b>\$ 50.00</b>
<b>245/2451 Options and Accessories:</b>		
MIC-0235-M9	Premium Replacement Palm Mic with 5 foot cable	<b>\$ 79.00</b>
MIC-0235-M9 -10	Premium Replacement Palm Mic with 10 foot cable	<b>\$ 119.00</b>
KIT-0235-30	Flush mount trim ring/bracket	<b>\$ 199.00</b>
KIT-2350-06	235 Flush Mount Bezel Kit	<b>\$ 99.00</b>
FAB-0235-30	SEA 235 Flush Mount Bracket	<b>\$ 189.00</b>
SPE-0500-25	Remote Speaker	<b>\$ 55.00</b>
OPR-245	Operator's manual	<b>\$ 75.00</b>
MAN-245	Service manual	<b>\$ 150.00</b>
CAB-2250-XXX	2350/2450/3300 Controller interconnect cable - bulk	<b>\$ 4.50 per ft</b>
MIC-00GN-001	Heavy duty foot switch for Goose Neck Mic	<b>\$ 140.00</b>
MIC-00GN-002	Goose neck microphone	<b>\$ 297.00</b>
<b>ND2045</b>	External FED STD 145 ALE Controller with Mil 144 A/B modem (NSG). If cable assembly required, please request quote and specify length.	<b>\$ 2,349.00</b>



Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)

MSRP Ver 21rev 5 – Effective 9/30/2012

## SEA Marine Communications Equipment Price List

MSRP

### High Power extreme duty SSB Marine Radiotelephones

New 345 models are not available until after FCC certification received. Estimated in 1st Qtr 2013

<b>345G/150</b>	New: 150/100/75 Watt MF/HF SSB Remote Transceiver Unit with new " extreme duty "chassis and I/O connector system. GMDSS compliant with embedded DSC Guard receiver, designed long term voice and "continuous duty" Data communications. Enhanced TX filters for expanded performance on Aviation and Land Mobile channels. Power input 24VDC.	<b>\$ 4,149.00</b>
<b>345G/300</b>	New: 300W/150W Watt MF/HF SSB Remote Transceiver Unit with new " extreme duty "chassis and I/O connector system. GMDSS compliant with embedded DSC Guard receiver, designed long term voice and "continuous duty" Data communications. Enhanced TX filters for expanded performance on Aviation and Land Mobile channels. Power input 24VDC.	<b>\$ 5,599.00</b>
<b>2450</b>	SEA 245 and 3345 Remote Control Unit. Up to four 2450 Remote controller may be installed. Requires controller interconnect cable (CAB-2250-XXX) sold separately.	<b>\$ 1,149.00</b>
345 Furnished with:	Premium palm microphone w/ 5 feet cable, trunnion mounting bracket and operator's manual *Add \$50 net at time of order for Premium Mic upgrade with 10 foot cable	<b>\$ 50.00</b>
<b>345 Options and Accessories:</b>		
MIC-0235-M9	Premium Replacement Palm Mic with 5 foot cable	\$ 79.00
MIC-0235-M9 -10	Premium Replacement Palm Mic with 10 foot cable	\$ 119.00
KIT-2350-06	235 Flush Mount Bezel Kit	\$ 99.00
SPE-0500-25	Remote speaker	\$ 55.00
OPR-3345	Operator's manual	\$ 75.00
MAN-3345	Service manual	\$ 150.00
CAB-2250-XXX	2350/2450/3345 Controller interconnect cable - bulk	\$ 4.50
MIC-00GN-001	Heavy duty foot switch for Goose Neck Mic	\$ 140.00
MIC-00GN-002	Goose neck microphone	\$ 297.00
<b>ND2045</b>	External FED STD 145 ALE Controller with Mil 144 A/B modem (NSG). If cable assembly required, please request quote and specify length.	<b>\$ 2,349.00</b>
<b>INT2045</b>	Optional: Internal FED STD 145 ALE Controller with Mil 144 A/B modem (NSG)	<b>TBD</b>
<b>3301G</b>	SEA 330 Remote Transceiver Unit, 300W power output, 24VDC input. * Ref: Requires special order and 3300 Remote Control Unit no longer available.	<b>\$ 5,499.00</b>
<b>330 Options and Accessories:</b>		
MIC-0222-M9	Premium replacement Palm Mic with 5 foot cable	\$ 79.00
MIC-0222-M9 -10	Premium replacement Palm Mic with 10 foot cable	\$ 119.00
SPE-0500-25	Remote speaker	\$ 55.00
OPR-330	Operator's manual	\$ 49.00
MAN-330	Service manual	\$ 99.00
<b>2320</b>	SEA Buss I to RS232 interface conversion unit. Used with SEA 330 SSB for interconnected systems requiring RS_232 serial I/O.	<b>\$ 399.00</b>



Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)  
 MSRP Ver 21rev 5 – Effective 9/30/2012

**SEA Marine Communications Equipment Price List**

**MSRP**

**MF/HF SSB Automatic Antenna Tuners**

<b>1612C</b>	The 1612C is a 1.6 to 30 MHz 150 Watt Automatic Antenna Tuner that is weatherproof and designed for use with any 1.6 – 30 MHz, 150-watt transceiver. The 1612C accommodates most antenna configurations where tuning in the 4-meg and under bands is difficult. For operation on 13.6 VDC negative ground	<b>\$ 995.00</b>
<b>1612C-ISOL</b>	1612C with isolated ground assembly.	<b>\$ 1,029.00</b>
<b>1612WX</b>	1612C with antenna grounding system	<b>\$ 1,099.00</b>
<b>1612C-B</b> 1612C, WX and CB Furnished with:	Same as 1612C except with balanced output Hardware and installation manual	<b>\$ 1,199.00</b>
<b>1630-00</b>	The 1630 is a 1.6 to 30 MHz 300 Watt Automatic Antenna Tuner that is weatherproof and specifically designed for use with the SEA 330 system. For operation on 13.6 VDC negative ground. Note: Required tuner interconnect cable (CAB-1630-XXX) sold separately.	<b>\$ 1,349.00</b>
<b>1631</b>	The 1631 is 1.6 - 30MHz 300Watt Automatic Antenna Tuner for SEA 2351D and 2451D and 345G	<b>\$ 1,349.00</b>
<b>1630B-B</b>  1630/1631 Furnished with:	Same as 1630 except with balanced output  Hardware and installation manual	<b>\$ 1,449.00</b>
<b>1630/1631 Series Options and Accessories:</b> CAB-1630-XXX	1630/1631 Tuner interconnect cable - bulk	<b>\$ 4.50 per ft</b>



Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)

MSRP Ver 21rev 5 – Effective 9/30/2012

## SEA Marine Communications Equipment Price List

MSRP

### MF/HF DSC Controllers, DSC Watch Receivers & TELEX & Data Modems

<b>7000G</b>	The SEACALL 7000G MF/HF DSC Controller unit provides DSC, Necode, and advanced distress capabilities to an external SEA SSB radiotelephone offering enhanced communications and safety.	\$	<b>1,599.00</b>
7000G Furnished with:	Trunnion mounting bracket and operator's manual		
<b>7000G Options and Accessories</b>			
7003	MF/HF Remote Alarm, use w/7000G	\$	299.00
KIT-0235-30	Flush mounting bracket	\$	189.00
OPR-7000G	Operator's manual	\$	45.00
MAN-7000	Service manual	\$	49.00
<b>7001G</b>	The SEAWATCH 7001G DSC Watch Receiver for Sea Areas A3 & A4 works in conjunction with the SEA 7000G or the SEA 245 and 345 SSB radiotelephones. The DSC Receiver provides full time watch facilities on all 6 Internationally designated MF/HF DSC / GMDSS channels. 7001G designed for 10V to 14VDC operation.	\$	<b>1,799.00</b>
7001G Furnished with:	SEAWATCH Receiver, gimbal bracket, bridge instruction card and service manual		
<b>7001G Options and Accessories</b>			
KIT-0235-30	Flush Mount Bracket	\$	189.00
OPR-7001	Bridge Card	\$	10.00
MAN-7001	Service Manual	\$	49.00
<b>3000G</b>	The SEA 3000G Radio Telex modem provides ship-to-ship and ship-to-shore radio telex communications. The 3000G is compatible with SEA 235, 245, 345 and 330 SSB radios as well as other MF/HF radiotelephones, and it is GMDSS approved for NBDP channel operations. For operation on 8-32 VDC negative ground.	\$	<b>899.00</b>
3000G Furnished with:	Mounting tray, radio interconnect cable and PC serial interconnect cable		
<b>3000G Options and Accessories:</b>			
SFW-3000W-01	Windows PC Application for SEA 3000G Radio Telex Modems. * Also see RNB M-14/3000T for complete message terminal.	\$	<b>549.00</b>
OPR-3000	Operator's manual	\$	35.00
MAN-3000	Service manual	\$	45.00
<b>MAN-0001-001</b>	Mariners Guide to SSB	\$	35.00
KIT-0235-P01	Cable assembly for SEA 235 to SCS PACTOR II		Request quote
KIT-0235-P02	Cable assembly for SEA 2351-2350 to SCS PACTOR II		Request quote
KIT-0245-P01	Cable assembly for SEA 245 to SCS PACTOR II		Request quote
KIT-0245-P02	Cable assembly for SEA 2451 & 2450 to SCS PACTOR II		Request quote
KIT-0345-P02	Cable assembly for SEA345 to SCS PACTOR II		Request Quote



Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)

MSRP Ver 21rev 5 – Effective 9/30/2012

## SEA Marine Communications Equipment Price List

MSRP

### Specialized VHF & MF/HF Watch Receivers

<b>7102</b>	SEA 7102 is a 3 channel VHF Guard Receiver (Voice), 12 VDC. Features VDR line output and Balanced / Unbalanced Audio out in addition to LED channel indicators and 3rd Receiver channel display.	\$	<b>1,697.00</b>
<b>7101</b>	SEA 7101 is a 2 channel VHF Guard Receiver (Voice), 12 VDC. Features LED channel indicators, VDR line output and Balanced / Unbalanced Audio out.	\$	<b>1,497.00</b>
<b>7001C Options and Accessories</b>			
SFW-7001V	Software Program Kit for SEA 7101 and 7102 VHF Guard receivers.	\$	499.00
OPR-7002	Operator manual for SEA7101 and 7102	\$	45.00
<b>7001C1</b>	2182 KHz Guard Receiver, Rack Mount, 110VAC Voice channel Guard receiver with ONE balanced line output, 19" rack mount chassis, 110VAC	\$	<b>1,447.00</b>
<b>7001C1-A</b>	4125 KHz MF Guard Receiver, Rack Mount, 110VAC Voice channel Guard receiver with ONE balanced line output, 19" rack mount chassis, 110VAC	\$	<b>1,447.00</b>
<b>7001C1/DC</b>	2182 KHz Guard Receiver, Rack Mount, 12VDC power input	\$	<b>1,447.00</b>
<b>7001C-RS</b>	Amplified Remote Speaker- Rack Mounted, 110VAC 19" rack mounted speaker system for 7001C voice receivers	\$	<b>1,449.00</b>
7001C Options and Accessories			
MAN-7001C	Service Manual	\$	199.00

### PC Terminals, Data & GMDSS Message Terminals

<b>RNB-M14/3000T</b>	RMB14/ W3000T - daylight readable unit with embedded SEA 3000G Telex Application	\$	<b>2,197.00</b>
RTNB-M14/3000T Options and Accessories			
C) EAG-000-1B	Add-on option at time of ordering: ( for sunlight readable Transflective Display	\$	649.00

### AC/DC Power Supply Options

PT-PNL	Power Supply/Battery Charger Remote Panel	\$	127.00
PT-24-40CE	Power Supply/Charger 24V/40A	\$	1,949.00
P115-12-8A	12VDC, 8A peak, 5 Amp continuous 115/230 VAC Power Supply	\$	427.00
P115-12-20A	12VDC, 20A peak, 8 Amp continuous 115/230 VAC Power Supply	\$	847.00
P115-12-35CD	12VDC, 35A peak, 35A continuous 115/230 VAC Power Supply	\$	1,497.00
P12-24-18I	Isolated Converter, 10-16DCV input, 24VDC output, 10A continuous	\$	1,597.00





Phone: 425.771.2182  
 Fax: 425.771.2650  
 7030 220TH St. SW  
 Mountlake Terrace, WA 98043  
[sales@seacomcorp.com](mailto:sales@seacomcorp.com)

MSRP Ver 21rev 5 – Effective 9/30/2012

## SEA Marine Communications Equipment Price List

MSRP

### SEA GMDSS Systems

Sea Area A2

Request Quote

Sea Area A3

Request Quote

Sea Area A3 & A4

Request Quote

### GMDSS System Components:

KIT-0300-A3-1	SEA 300-A3-1 Console Manual Set	\$	399.00
KIT-A3-1	Hardware Kit for 300A3 Console - unassembled	\$	1,997.00
KIT-GMDSS	A3 console cable kit	\$	647.00
KIT-A3-LAB	Console wiring & assembly Labor	\$	1,500.00
MAN-0300-A3-1	Console Installation Manual	\$	99.00

### Digital Depth Sounders

<b>D3001/000</b>	<b>International Offshore® Depth sounder</b>	<b>\$</b>	<b>799.00</b>
	Large LCD display, depth 2.4 – 1200 Feet (or equivalent Fathoms or Meters), graphic depth history, depth offset, minimum and maximum depth alarms. NMEA output. Includes mounting yoke and flush mount kit. 12/24 VDC.		
D3001 Options and Accessories: ADX-1191	Transducer, 120kHz, Stem Type	\$	479.00